

Request Form for Translation

U. S. Serial No. : US 09/ 763319

Requester's Name: HAN VO

Phone No. : (703) 605-4426

Fax No. : _____

Office Location: 11B33

Art Unit/Org. : 1771

Group Director: _____

Is this for Board of Patent Appeals? No

Date of Request: 11/14/2002

Date Needed By: 11/25/2002

(Please do not write ASAP-indicate a specific date)

SPE Signature Required for RUSH:

Document Identification (Select One):

**** (Note: Please attach a complete, legible copy of the document to be translated to this form)****

1. ☒ Patent Document No. G 84 08 966. 0

Language _____

Country Code _____

Publication Date _____

No. of Pages _____ (filled by STIC)

2. ☐ Article Author _____

Language _____

Country _____

3. ☐ Other Type of Document _____

Country _____

Language _____

Document Delivery (Select Preference): EM

☒ Delivery to nearest EIC/Office Date: 11-29-02 (STIC Only)

☐ Call for Pick-up Date: _____ (STIC Only)

STIC USE ONLY

Copy/Search

Processor: _____

Date assigned: _____

Date filled: _____

Equivalent found: _____ (Yes/No)

Doc. No.: _____

Country: _____

Remarks: _____

Translation

Date logged in: 11-14-02

PTO estimated words: 333

Number of pages: 4

In-House Translation Available: _____

In-House:

Translator: _____

Assigned: _____

Returned: _____

Contractor:

Name: FJS

Priority: 1

Sent: 11-20-02

Returned: 11-29-02

Translation Branch
The world of foreign prior art to you.



PTO 2003-719

S.T.I.C. Translations Branch

Phone: 308-0881
Fax: 308-0989
Location: Crystal Plaza 3/4
Room 2C01

To assist us in providing the most cost effective service, please answer these questions:

Will you accept an English Language Equivalent?

Yes (Yes/No)

Will you accept an English abstract?

No (Yes/No)

Would you like a consultation with a translator to review the document prior to having a complete written translation?

No (Yes/No)

Check here if Machine Translation is not acceptable:

(It is the default for Japanese Patents, '93 and onwards with avg 5 day turnaround after receipt) (Yes/No)

PTO 03-0719

CY=DE DATE=19840620 KIND=U1
PN=84 08 966.0*

COLD AND HEAT CARRYING CUSHIONS
[Kälte- un Wärmeträgerkissen]

U. Meinass

UNITED STATES PATENT AND TRADEMARK OFFICE
Washington, D.C. November 2002

Translated by: FLS, Inc.

PUBLICATION COUNTRY	(10):	DE
DOCUMENT NUMBER	(11):	G 8408966.0
DOCUMENT KIND	(12):	U1
	(13):	UTILITY MODEL
PUBLICATION DATE	(43):	19840620
PUBLICATION DATE	(45):	
APPLICATION NUMBER	(21):	
APPLICATION DATE	(22):	19840323
ADDITION TO	(61):	
INTERNATIONAL CLASSIFICATION	(51):	A 61 F 7/08
DOMESTIC CLASSIFICATION	(52):	
PRIORITY COUNTRY	(33):	
PRIORITY NUMBER	(31):	
PRIORITY DATE	(32):	
INVENTOR	(72):	Not indicated
APPLICANT	(71):	U. Meinass
TITLE	(54):	COLD AND HEAT CARRYING CUSHIONS
FOREIGN TITLE	[54A]:	Kälte- un Wärmeträgerkissen

SPECIFICATIONS

It is known to use cold and heat carrying cushions in physical therapy. A wide variety of filling materials are used in such cushions. They include paraffin, peloids, etc. The coverings on the cushions are also made of plastic, such as PVC, polyethylene, etc.

The cushions are also sold under the name of "packs." The disadvantage of the cushion is that the liquid always distributes itself in accordance with the slope or, due to the pressure involved when the cushion is applied, the liquid becomes concentrated in areas when expansion is possible.

The novelty of the present invention is the creation of a cold and heat carrying cushion that will permit treatment that conforms to the body, follows its contour, and is uniform over the surface of the body. The impregnated plastic foam binds the liquid, thus providing absolute uniformity in the cushion strength. The liquids serve as cold and heat storage devices, as with known cushions, but the plastic foam also offers the advantage that the cushion conforms to the body, follows its contour, and is uniform over the surface of the body.

Figure 1 shows a top view of the cold and heat carrying cushion, which consists of plastic cover **1**, surrounding seam **3**, and impregnated plastic foam **2**.

The cross section shown in Fig. 2 clearly illustrates the cold and heat carrying cushion, which contains on its inside a plastic foam core **2** that is saturated with liquid.

CLAIMS

1. A cold and heat carrying cushion, characterized in that a plastic foam **2** that is impregnated with a liquid such as paraffin, wax, thermal oil, refrigerant, etc., is sealed watertight and airtight in a seamed **3** plastic covering **1**.

2. A cold and heat carrying cushion as recited in Claim 1, characterized in that the impregnated plastic foam mat can consist of more than one plastic foam units **2**.

Fig.1




Fig.2

